

CERTIFICATE OF FIRE APPROVAL

This is to certify that

The product detailed below will be accepted for compliance with the applicable Lloyd's Register Rules and Regulations and with the International Convention for the Safety of Life at Sea, (SOLAS), 1974, as amended, for use on ships and offshore installations classed with Lloyd's Register, and for use on ships and offshore installations when authorised by contracting governments to issue the relevant certificates, licences, permits etc.

Manufacturer Amtico International

Address Kingfield Road

Coventry CV6 5AA United Kingdom (UK)

Type MATERIAL HAVING LOW FLAME SPREAD CHARACTERISTICS & NOT

CAPABLE OF PRODUCING EXCESSIVE SMOKE & TOXIC PRODUCTS OF

COMBUSTION

Description Fire-Resisting Material – Type "Amtico Marine (01-14)"

Specified Standard IMO Res. MSC.61 (67) - (FTP Code) Annex 1 Part 2 & Part 5 and Annex 2

IMO MSC/Circ.1120

IMO Res. MSC.307(88) - (2010 FTP Code) Annex 1 Part 2 & Part 5 and Annex 2

IMO Res. MSC.307(88) - (2010 FTP Code) Section 8

The attached Design Appraisal Document forms part of this certificate.

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached Design Appraisal Document are complied with and the equipment remains satisfactory in service.

Date of issue 2 May 2019 Expiry date 1 May 2024

Certificate No. SAS F190066 Signed

Sheet No 1 of 3 Name J. M. Evans

Surveyor to Lloyd's Register EMEA A Member of the Lloyd's Register Group

Note:

This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Lloyd's Register of any modification or changes to the equipment in order to obtain a valid Certificate.

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's Register EMEA (Southampton)

Marine & Offshore UK&I

Lloyd's Register Global Technology Centre, Southampton Boldrewood Innovation Campus, Burgess Road, Southampton, SO16 7QF

Telephone +44 330 414 1000 / E-mail tass@lr.org

Page						
2 of 3						
Document number						
SAS F190066						
Issue number						
1						

DESIGN APPRAISAL DOCUMENT

Date	Quote this reference on all future communications	
10 May 2019	UKITSO/SFS/TA/JE/WP35574128	

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS F190066

This Design Appraisal Document forms part of the Certificate

This Certificate is a renewal of Certificate No. SAS F140112/M3

APPROVAL DOCUMENTATION

Interscience Fire Laboratory, Haslar Road, Gosport, Hampshire, PO12 2AG, United Kingdom, Fire Test Reports No. ICL/H13/2979 Rev 2 dated 28th February 2014 and No. ICL/H13/2980 Rev 2 dated 28th February 2014.

Exova Warringtonfire Frankfurt, Industriepark Hochst C369, Frankfurt am Main D-65926, Germany, Fire Test Reports No. 2011-1724 dated 6th July 2011 and No. 2011-1726 dated 6th July 2011.

VTT Technical Research Centre of Finland, Espoo, Finland, Fire Test Report No. VTT-S-10957-08, dated 12th December 2008.

Warrington Fire Research, Holmesfield Road, Warrington, WA1 2DS, United Kingdom, Fire Test Report No. 120603 dated 21st August 2001.

Bodycote Warringtonfire, Holmesfield Road, Warrington, WA1 2DS, United Kingdom, Fire Test Reports No. 180571 dated 20th March 2009 and No. 180572 dated 6th March 2009.

Exova Warringtonfire, Holmesfield Road, Warrington, WA1 2DS, United Kingdom, Fire Test Report No. 351540 dated 5th May 2015.

CONDITIONS OF CERTIFICATION

- 1. When applied to a non-combustible substrate
- 2. PVC based floor covering consisting of: urethane acrylic surface coating roller applied at a rate of 12g/m², plasticised PVC clear wear layer 'Marine Clear Wear-layer' 520μm thick, print film layer 'SW2504' 75μm thick, filled plasticised PVC core layer 'Marine Filled Core Layer' 760μm thick, filled backing layer 'Marine Filled Backing Layer' 500μm thick
- 3. Total thickness of floor covering 2.0mm, total weight 2.55kg/m²
- 4. Floor covering adhered to substrate with 'Amtico Universal 2-Part' polyurethane adhesive by trowel at application rate 2.0 2.5m²/kg. The following adhesives may also be used: 'Amtico PS Adhesive', 'Amtico HT', 'Amtico SF Plus Adhesive', 'Kiilto M1000' adhesive', 'SF Adhesive'
- 5. Composition of individual coatings and adhesives, including any fire retardants, to be maintained in production in accordance with originally tested composition formula
- 6. Production items are to be manufactured in accordance with a quality control system which shall be maintained to ensure that items are of the same standard as the approved prototype



Lloyd's Register EMEA (Southampton)

Marine & Offshore UK&I

Lloyd's Register Global Technology Centre, Southampton Boldrewood Innovation Campus, Burgess Road, Southampton, SO16 7QF

 $Telephone \ +44\ 330\ 414\ 1000\ /\ E-mail\ tass@lr.org$

Page			
3 of 3			
Document nu	ımber		
SAS F19	00066	5	
Issue number			
1			

DESIGN APPRAISAL DOCUMENT

Date	Ouote this reference on all future communications	
10 May 2019	UKITSO/SFS/TA/JE/WP35574128	

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS F190066

PLACE OF PRODUCTION

The Amtico Company Limited Kingfield Road Coventry CV6 5AA United Kingdom (UK)



Jessica Evans Senior Specialist Fire & Safety, Statutory Discipline Team UK&I Technical Support Office, Marine & Offshore Lloyd's Register EMEA

<u>Supplementary Type Approval Terms and Conditions</u>

This certificate and Design Appraisal Document relates to type approval, it certifies that the prototype(s) of the product(s) referred to herein has/have been found to meet the applicable design criteria for the use specified herein, it does not mean or imply approval for any other use, nor approval of any products designed or manufactured otherwise than in strict conformity with the said prototype(s).